

# MOBIHEL®

... for the cars we love

## 2K THINNERS

Multipurpose thinner used for dilution of all MOBIHEL 2K acrylic products. Ensures a very good levelling at spraying and fast flash-off times.

**Distributed by:**

Crest Cormix Pty. Ltd.  
13 Newmarket Lane,  
Epping, Victoria 3076.  
Tel: +61 3 9945 2700  
Fax: +61 3 9945 2799  
Email: [enquiries@crestcormix.com.au](mailto:enquiries@crestcormix.com.au)  
Web: [www.crestcormix.com.au](http://www.crestcormix.com.au)

HELIOS TBLUS, d.o.o., Količevo 65, 1230 Domžale, Slovenija  
T: +386 1 722 40 00, E: [office@helios-refinish.com](mailto:office@helios-refinish.com), [www.mobihel-refinish.com](http://www.mobihel-refinish.com)




**MOBIHEL 2K THINNER 2100****Packing:**  
12 x 0.5 l  
4 x 5.0 l**Index:**  
41672151  
41672114**PACKING DATA****MOBIHEL 2K THINNER 2300****Packing:**  
12 x 0.5 l  
4 x 5.0 l**Index:**  
41672314  
41672351**MOBIHEL 2K THINNER 2500****Packing:**  
12 x 0.5 l  
4 x 5.0 l**Index:**  
41672914  
41672951**HYGIENE & PERSONAL PROTECTION****TECHNICAL CHARACTERISTICS****Colour:** Colourless**Product type:** Thinner**Density:** 0,909 – 0,985 g/l


2K materials react with humidity; take care that all containers and utensils are absolutely dry. While coating, the ambient relative humidity should not exceed 80%.

**NOTE**

Please make sure to follow the recommendations and mixing ratios as stated in the TDS of each A component.

**DRYING****Drying time at:**

MOBIHEL 2K THINNER 2500



MOBIHEL 2K THINNER 2100



MOBIHEL 2K THINNER 2500

**SHELF LIFE****Shelf life:**

5 years

**SAFETY ADVICE**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of fire: use powder, foam or CO2 for extinction. Store in a well-ventilated place. Keep container tightly closed.

**ONLY FOR PROFESSIONAL USE**

